

Report of an accident, dangerous occurrence or environmental incident

Document No: N-(J3300-F	-IM0831	A159980
------------------	---------	---------	---------

Date: 08/05/2025

For instructions and general guidance in the use of this form, please see the last page.

Part 1 is required within 3 days of a notified incident.

Part 2 is required within 30 days of notified incident.

What was the date and time of the initial verbal incident notification to NOPSEMA?					
Date	8 May 2025	Time	1830		

NOTE: It is a requirement to request permission to interfere with the site of an accident or dangerous occurrence. Refer OPGGS(S)R, Reg. 2.49.

What is the date and time of this written incident report?					
Date	11 May 2025	Time	1400		

What type of incident is being reported?				tick appropriate t type	
Accident or dangerous occurrence				Complete parts 1A, 1B & part	2
Environmental Incident				Complete parts 1A, 1C	
BOTH (Accident or dangerous occ	×	Complete ALL parts (1A, 1B, 1	C, 2)		
Please tick all applicable (one or more	categories)	To use	electroni	cally: MS Word 2007-10 – click in cl	heck box
	Accidents	Death or Lost time			
Categories Please select one or more	Dangerous occurrences	Hydrocarbon release >1 kg or ≥80 L (gas or liquid) Fire or explosion Collision marine vessel and facility Could have caused death, serious injury or LTI Damage to safety-critical equipment Unplanned event – implement ERP Pipeline incident Well kick >50 barrels Other			
	Environmental incidents	Hydrocarbon release Chemical release Drilling fluid/mud release Fauna Incident Other			



Part 1A – Information required within 3 days of an accident, dangerous occurrence or environmental incident

Gene	General information – all incidents						
1.	Where did the incident	Facility / field / title name	Griffin-1 Production Flowl 6IN-31, 8IN-29/30, Griffin				
1.	occur?	Site name and location Latitude/longitude	E: 253121.: N: 7650066.				
	Who is the registered	Name	Woodsid	e Energy Global Pty Ltd			
2.	operator/titleholder or other person that controls	Business address	Mia Yellagonga, Karlak,	11 Mount Street, Perth WA 6000, Australia			
	the works site or activity?	Business phone no.		+61 8 9348 4000			
3.	When did the incident	Time and time zone		15:03 AWST (UTC+8)			
3.	occur?	Date		08/05/2025			
	Did anyone witness the incident?	Yes or No If yes, provide details below		Yes			
	Witness details	Witness no. 1	Witness no. 2	Witness no. 3			
	Full name						
	Phone no. (Business hours)						
4.	Phone no. (Home) (Mobile)						
	Email (Business) (Private)	@woodsid e.com	@woo dside.com				
	Postal address	Woodside address as above	Woodside address as above				
	NB: If m	ore witnesses, copy and insert this	section (4) here, and add extra wi	tness numbers appropriately			
		Name					
5.	Details of person submitting	Position					
J.	this information	Email	@woodsid	e.com			
		Telephone no.					



Part 1A – Information required within 3 days of an accident, dangerous occurrence or environmental incident

Gene	General information – all incidents				
6.	Brief description of incident	On 8 May 2025, the Woodside contracted TechnipFMC Offshore Support Vessel Deep Orient commenced flushing of the decommissioned GR-1 flowline in the decommissioned Griffin Field, WA-10-L, approximately 80 km north-east of Exmouth Coast, in 131 metres of seawater (msw). The flushing was being carried out subsea (the flowline resting on the seabed, disconnected at both ends) to remove potential hydrocarbon gas trapped in the line ahead of its planned recovery later in 2025. Deep Orient was equipped with a seawater pumping spread and a downline that connected to the flowline on the seabed to inject seawater treated with fluorescein dye as approved for discharge in accordance with relevant Environment Plan (EP) requirements. The Woodside contracted Fugro Uncrewed Surface Vessel (USV) Kwilena was monitoring the second end of the flowline (2.8km away from the 1st end) and providing a feed of the Remote Operated Vessel (ROV) footage to the Deep Orient. Flushing commenced at approximately 1500 hrs and during this planned activity it was observed from the USV ROV footage feed that a black substance had begun being discharged from the outlet valve on the NORM scale catcher tool (NCT) installed on the 2 nd end of the flowline. Along with the black substance, discharge observed included other product / material from the flowline. The flushing activity was subsequently stopped at approximately 1536 hrs to enable identification of discharges and assess the situation. The EP accepted treated seawater with fluorescein dye was not discharged to sea and was contained within the flowline. At 1800 hrs, Deep Orient observed a light sheen on the sea surface above the second end of the flowline, and the spill tracking buoy was deployed at 1816 hrs. The release is believed to contain unanticipated fluids, which may possibly include water, produced water, residual hydrocarbons, degraded production chemicals and scale, hereafter referred to as 'the release'.			
7.	Work or activity being undertaken at time of incident	Flowline flushing to remove potential hydrocarbon gas in preparation for future recovery to surface / vessel in accordance with the accepted Griffin Decommissioning and Field Management Environment Plan (Document No. GV-HSE-E-0014).			
8.	What are the internal investigation arrangements?	Event investigation will be conducted by Woodside and contractor personnel in accordance with internal requirements specified in Woodside's Health Safety Environment (HSE) Event Reporting and Investigation Work Instruction.			
9.		Yes or No If Yes, provide details below			



	Part 1A – Information required within 3 days of an accident, dangerous occurrence or environmental incident							
	General information – all incidents							
		Type of fluid (liquid or gas) If hydrocarbon release, please complete item no.15 as well		icing Griffin Venture				
		Estimated quantity Liquid (L), Gas (kg)	Est. 63,964 litres of liqui	d and gas mix				
			Calculation 🗵	Measurement				
	Was there any loss of containment of any fluid (liquid or gas)?	`Estimation details	63,964 litres of treated so into the flowline during t with the 2 nd end of the flo release volume is estimate pumped volume.	he flowline flushing owline open. The				
		Composition Percentage and description						
			Toxicity to people	Biocide – Hydrocarbons –				
		Known toxicity to people and/or environment	Toxicity to environment	Biocide Potential H2S as a result of degraded	e			



Part 1A - Information required within 3 days of an accident, dangerous occurrence or environmental incident General information - all incidents How was the leak/spill F&G detection Visual \boxtimes detected? **CCTV** Other \boxtimes **Immediate** No Delayed Yes Hotwork Did ignition occur? If yes, what was Spark electrical source the likely ignition Spark metallic contact Hot surface source Other Yes Yes or No Duration of the release Approx. 36mins Has the release been 10. hh:mm:ss stopped and/or contained? Estimated rate of release 2.2m³/min (average) Litres or kg per hour E: 253121.1 What or where is the N: 7650066.0 location of the release? @-131 meters sea water (msw) 8"/6" Flexible flowline and riser What equipment was 11. Location of release Norms scale Capture Tool (NCT) involved in the release? Is this functional location No listed as safety-critical equipment? 29 Ambient temperature c° 51 Relative humidity % ~17 knots Wind speed m/s NB: for enclosed areas use Air change per hour North East Weather conditions Wind direction e.g. from SW 12. Please complete as appropriate 1.8 Significant wave height m 1.1 Swell m 0.277 m/s Current speed m/s Current direction e.g. from 239 degrees, SW



	Part 1A – Information required within 3 days of an accident, dangerous occurrence or environmental incident						
Gene	ral information – all incidents						
		System of hydrocarbon release	Process Drilling Subsea / Pipeline		Utilities Well related Marine		
	Hydrocarbon release details	Estimated inventory in the isolatable system Litres or kg	Total flowline volun	ne of 9	93m3.		
13.	If hydrocarbon fluid (liquid or gas) was released, please complete this	System pressure and size of piping or vessel	Pressure	MPag	Static @-131msw (meters of sea wate	er)	
	section as well	diameter (d in mm) length (l in m) or volume (V in L)		oing (d) ping (l) ssel (V)	150/200 3247		
		Estimated equivalent hole diameter					

Part 1B - Complete for accidents or dangerous occurrences							
Accidents and dangerous occurrences information							
	Was NOPSEMA notified the notification phone line? F	_	Yes	×	No		
		Was permission given by a	NOPSEMA inspector	to inte	erfere with the site?		
15.		OPGGS(S)R 2.49.	Yes		No	\boxtimes	
	Action taken to make the work-site safe	Action taken	Work immediately ceased, activity was sub no exposure to any crewed vessels on surfa			nd	
		Details of any disturbance of the work site	All worksite disturbances were subsea during make safe activities.				
	Was an emergency response initiated?		Yes	×	No		
		Type of response	Manual Automatic alarm		Muster Evacuation		
16.		How effective was the emergency response?		rt. No urrenc ion wa	s the Woodside		
	Was anyone kille	d or injured? Provide details below	Yes		No	\boxtimes	
17	Injured persons (IP)		Casualty no. 1				
17.	If different from item 2. Employer name		Employer address				



Part :	IB - Complete for a	Part 1B - Complete for accidents or dangerous occurrences						
Accide	nts and dangerous occur	rences information						
	Employer phone no.		Empl	loyer email				
	IP full name							
	IP date of birth			Sex	М		F	
	IP residential address				•			
	IP phone no. (Work)			IP phone no. (Home) (Mobile)				
	IP occupation/job title		Cont	tractor or core crew				
	Details of injury							
	Based on TOOCS	a. Intracranial injury		d. Burn				
	(refer last page)	b. Fractures		e. Nerve or spinal co				
		c. Wounds, lacerations,		f. Joint, ligament, m			ıjury	
	Nature of injury	amputations, internal organ damage	_	g. Other				
		G1. Head or face		G5. Hip or leg				
		G2. Neck		G6. Multiple location	s			
	Part of body	G3. Trunk		G7. Internal systems				
		G4. Shoulder or arm		G8. Other				
		G0. Falls, stepping, kneeling,		G3. Exposure to sour	d or pres	sure		
		sitting on object	_	G4. Muscular stress				
	Mechanism of injury	G1. Hitting object		G5. Heat, cold or rad	iation			
	moonamon or many	G2. Being hit or trapped		G6/7 Chemical, biologi				
				G8. Other				
		Machinery or fixed plant		5/6. Chemicals, mate	ials, sub	stances		
	A ==== f :=:	2. Mobile plant or transport		7. Environmental ag				
	Agency of injury	3. Powered equipment		8. Human or animal	agencies			
		4. Non-power equipment		9. Other				
	Details of job being undertaken							
	Day and hour of shift	Day		Hour				
		e.g. 5 th day of 7 (5 / 7)		e.g. 3 rd hour of 12 (3/				
		NB: If more casualties, please copy/po	ste this	section (19) for each ad	ditional c	asualty o	ınd inser	t here
		rious damage? Provide details below		Yes 🗆			No	S
	Details	Item 1		Item 2		Iter	n 3	
18.	Equipment damaged		_					
	Extent of damage							



Part 1B - Complete for accidents or dangerous occurrences						
Accidents and dangerous occurrences information						
Will the equipment be shut down? Yes or No	Already shutdown					
If yes, for how long?						
Will the facility be shut down?	Yes or No If yes provide details below	No – it is already shutdow	/n			
	Date		dd/mm/yyyy			
Facility shutdown	Time		24-hour clock			
	Duration		days / hours / minutes			
Immediate action taken/intended, if any, to prevent	Action	Responsible party	Completion date Actual or intended			
	Cease flushing activities	Woodside Energy Global Pty Ltd	Actual 8 May 2025			
incident.						
What were the immediate causes of the incident?	Unexpected product (composition to be confirmed after testing) contained within flowline.					
	Will the equipment be shut down? Yes or No If yes, for how long? Will the facility be shut down? Facility shutdown Immediate action taken/intended, if any, to prevent recurrence of incident. What were the immediate causes of	Will the equipment be shut down? Yes or No If yes, for how long? Will the facility be shut down? Facility shutdown Facility shutdown Action Cease flushing activities Immediate action taken/intended, if any, to prevent recurrence of incident. What were the immediate causes of	Will the equipment be shut down? Yes or No If yes, for how long? Will the facility be shut down? Facility shutdown Action Cease flushing activities Immediate action taken/intended, if any, to prevent recurrence of incident. What were the immediate causes of			

Attachn	Attachments					
			Yes or No			
Are you attaching any documents?		If yes, provide details	No.			
			below			
No.	ID	Revision	Date	Title/description		
				Insert or delete rows as required		



composition). Potential impact area was determined undertaking spill trajectory modelling by hydrocarbon release. The modelled hydrocarbon release.	SE-E-O	n the
23. environment plan for this incident? Yes or No If yes, provide details below Subsea (-131msw) release (refer #9 for composition). Potential impact area was determined undertaking spill trajectory modelling by hydrocarbon release. The modelled hydrocarbon release.	SE-E-O	n the
Subsea (-131msw) release (refer #9 for composition). Potential impact area was determined undertaking spill trajectory modelling by hydrocarbon release. The modelled hydrocarbon release.	ased o Irocarb	on
Subsea (-131msw) release (refer #9 for composition). Potential impact area was determined undertaking spill trajectory modelling by hydrocarbon release. The modelled hydrocarbon release.	ased o Irocarb	on
highly conservative compared to the act The spill trajectory modelling in responsion hydrocarbon release demonstrates that the spill is limited to the vicinity of the location due to rapid evaporation of ne crude hydrocarbon wolume potentially the water and subject to slower degract time. Has the incident resulted in an impact to the environment? 24.	Subsea (-131msw) release (refer #9 for composition). Potential impact area was determined by undertaking spill trajectory modelling based of hydrocarbon release. The modelled hydrocarl release assumes a 100% crude oil release whi highly conservative compared to the actual extensive trajectory modelling in response to the hydrocarbon release demonstrates that priming the spill is limited to the vicinity of the release location due to rapid evaporation of nearly 75 crude hydrocarbon material, with approximate 20% of hydrocarbon volume potentially reside the water and subject to slower degradation of time. Spill trajectory from initial modelling and one forecast predicated to be in a west-south-west direction. Priority areas for protection and impact assessment identified as the Gascoyne Marine and Ningaloo Marine Park. No significant volume or concentration of hydrocarbons predicted to contact the Ningal Coast World Heritage Area or Marine Parks, a	
ENVIRONMENTAL RECEPTORS		
Shoreline ☐ ☐ Cora Population centre ☐ Benthic inverte Stakeholders ☐ Se	palgae I Reef prates agrass grove	
Details Environment 1 Environment 2 Environ	ment 3	3
Location of receiving		
environments Lat/Long		
Date & time of impact Action taken to minimise		
exposure		



1 1	Part 1C – Complete for environmental incidents					
protected under Part 3 of the EPBC Act impacted NB: If more environments were damaged, please cop Yes or No If yes, provide details The Net Environ	Environmental Impacts					
If yes, provide details The Net Environ	y/paste this section (Item E3) and add extra data					
evaluate as the with the initial N potential respor Visual observatia aerial. Aerial Observati A visual sheen a (cyanobacteria) morning at appra aerial surveillane 9 May 2 trichode 10 May at either Trichode buoy 83 Are any environments at risk? Including as a result of spill response measures Pego Or observat Details e.g. zone of potential impact Vessel Observat Deep Or observat Deep Or observat Mermai from ap 2025; Warrege buoy 83 The risk from the environment is I be considered from the environment is I be	ons: and assumed to be trichodesmium was present on 9 May 2025 in the oximately 0830 hrs. Additional are was undertaken: 025 – 1400 hrs no sheen present, esmium present; 2025 – 0800 hrs, no sheen present or spill tracker buoy or spill location. esmium present at spill tracker 00.					



Part 1C – Complete for environmental incidents							
Envir	onmental Impacts						
	e.g. conservatio		ocean oreline Centre nolders sitivity		Ве	Macroalgae Coral Reef enthic Invertebrates Seagrass Mangrove	
	Details	Environment 1		nviron	ment 2	Environment 3	
	Estimated location of 'at- risk' environments						
	Estimated impact date & time						
	Action required to minimise exposure						
	Specify each matter protected under Part 3 of the EPBC Act at risk						
		NB: If more environments at ris	k of damag	je, please	copy/paste this s	ı ection (Item E2) and add ext	ra data
		Yes or No					
26.	Was an oil pollution emergency plan activated?	If yes, what action has been	Griffin Decommissioning Oil Pollution First Strike			ke	
		implemented /planned?					
		If yes, how effective is/was					
		the spill response?	.,				
27.	Was an environmental monitoring program initiated?	If yes, what actions have been implemented and/or planned?	Monitorial via the 2025, Water contral person Exmous sampli sampli	oring (OSRL Woods quality ctor, S anel wi ath on ng on ng pro ng loc	OSM) Service contract on Side confirmer, assessment tantec, mobilith water sam 11 May 2025 ogram is being	ational and Scientifices activated by Wood 9 May 2025. On 10 Med standup of OM02. The specialist lised with arrival of x apling equipment to and to commence were a 3-day water qualing planned, with a focus of the marine part	lay 3 /ater ity us on
	Did the incident result in	Yes or No	No				
	the death or injury of any	(If yes provide details of					
	fauna?	species in the table below)				Supplies 2	
28.	Injured fauna Species name	Species 1	Specie	S Z		Species 3	
20.	(common or scientific name)						
	Number of individuals killed or injured	Killed: Injured:	Killed: Injured	 d:		Killed: Injured:	
Ц			,				



Part	Part 1C – Complete for environmental incidents					
Envir	Environmental Impacts					
	NB: If more species were injured or killed, please copy/paste this section (Item E4) and add extra data					
		Action	Responsible party	Completion date Actual or intended		
		Cease flushing activity to prevent any further discharge / potential for release.	Woodside	8 May 2025		
		USV in field undertook further visual operations post pump ceasing to ensure flow had ceased.	Woodside	8 May 2025		
29.	Actions taken to avoid or mitigate any adverse environmental impacts of	First Strike Plan activated: Spill tracker buoy deployed; Woodside's Crisis Incident Management Team activated; Initial Spill modelling undertaken (additional modelling undertaken to further assist with response and monitoring program).	Woodside	8 May 2025		
	the incident.	Aerial and vessel observations commencing 9 May 2025 were undertaken to verify surface sheen dissipation.	Woodside	10 May 2025		
		Sample of release at surface taken by Deep Orient and sent to Woodside laboratory for hydrocarbon analysis. Additional sample sent to Core Lab in Perth for further analysis.	Woodside	9 May 2025		
		AMOSC notified of potential requirement for Oiled Wildlife Response. All vessels tasked to maintain a watch for fauna and any Oiled Wildlife in the area.	Woodside	9 May 2025		



Part	Part 1C – Complete for environmental incidents				
Envir	onmental Impacts				
		Secondary Spill tracker buoy deployed along the spill model trajectory to further assist with environmental monitoring locations.	Woodside	10 May 2025	
		Sample of contaminated rope recovered by Deep Orient and being sent for hydrocarbon analysis at Woodside's laboratory in Perth/Karratha.	Woodside	10 May 2025	
		Nine samples of surface water were collected by the Warrego at the spill tracker buoy (7716) site (5 collected 10/05/25 and 4 collected 11/05/25) which will be sent Chemcenter in Perth for further analysis.	Woodside	11 May 2025	
				s, please add extra rows as required Completion date	
		Action	Responsible party	Actual or intended	
	Corrective actions taken, or proposed, to stop, control or remedy the incident.	Flushing ceased.	Woodside	8 May 2025	
		NCT valve closed.	Woodside	9 May 2025	
30.		Tight fitting in-bore environmental plug installed to prevent any potential for release.	Woodside	9 May 2025	
		T	NB: If more action	s, please add extra rows as required	
		Action	Responsible party	Completion date Actual or intended	
31.	Actions taken, or proposed, to prevent a similar incident occurring in the future.	Further planned Griffin flushing activity is paused until investigation complete. Remaining tasks to be re-assessed prior to resuming any flushing activity including review of all regulatory approvals.	Woodside	TBD pending investigation	



Part 1C – Complete for environmental incidents					
Envir	Environmental Impacts				
	NB: If more actions, please add extra rows as required				

Are you attaching any documents?		Yes or No If yes, provide details below	No. Please refer to information provided to Andrew Best via regulatory submissions inbox.
ID	Revision	Date	Title/Description
			27 -1



Part 2 – Information re	quired within 30 day	ys of accident or dang	gerous occurrence
-------------------------	----------------------	------------------------	-------------------

NOPSEMA acknowledges that in many circumstances an operator may not have completed an investigation within 3 days of an accident or first detection of a dangerous occurrence and agrees that these items must be provided within 30 days unless otherwise agreed, in writing with NOPSEMA. In circumstances where an investigation has been completed within 3 days, and these items are available (supplemented, as required by any attachments) this part should also be completed at that time.

-	Has the investigation been completed?	Yes or No	No.	
		Root cause 1		
		Root cause 2		
	Root cause analysis	Root cause 3		
	What were the root causes?	Other root causes		
32.	Full report			
	Describe investigation in detail,			
	including who conducted the			
	investigation and in accordance			
	with what standard/procedure			
	with reference to attachments listed in the 'attachments table'			
	(following) as applicable			
		Action	Responsible party	Completion date Actual or intended
	Actions to prevent			
	recurrence of same or			
33.	similar incident			
	Similar meraene			
				11 11
	NB: Add or delete rows as app			

Attac	Attachments (Insert/delete rows as required)					
Are you attaching any documents?		Yes or No If yes, provide details below				
No.	ID	Revision	Date	Title/description		



Instructions and general guidance for use:

- 1. The use of this form is voluntary and is provided to assist operators and titleholders to comply with their obligations to give notice and provide reports of incidents to NOPSEMA under the applicable legislation.
- 2. Accidents, dangerous occurrences or environmental incidents can all be reported using this same form.
- 3. The applicable legislation for incident reporting is:
 - a. Offshore Petroleum and Greenhouse Gas Storage (Safety) Regulations 2009 [OPGGS(S)R]; and
 - b. Offshore Petroleum and Greenhouse Gas Storage (Environment) Regulations 2009 [OPGGS(E)R], for facilities located in Commonwealth waters; or
 - c. for facilities located in designated coastal waters, the relevant State or Territory Act and associated Regulations where there is a current conferral of powers to NOPSEMA.
- 4. In the context of this form an incident is a reportable incident as defined under:
 - a. OPGGSA, Schedule 3, Clause 82.
 - b. OPGGS(E)R, regulation 4.
- 5. This form should be used in conjunction with NOPSEMA Guidance Notes available on the NOPSEMA website:
 - a. N-03300-GN0099 Notification and Reporting of Accidents and Dangerous Occurrences
 - b. N-03300-GN0926 Notification and Reporting of Environmental Incidents
- 6. Part 1 requires completion for all incidents; then ALSO complete part 2 if the incident is an accident or dangerous occurrence.
- 7. NOPSEMA considers that a full report will contain copies of documentary material referenced and/or relied on in the course of completing this form, which may include (but not be limited to) as appropriate: witness statements, management system documents, drawings, diagrams and photographs, third party reports (audit, inspection, material analysis etc.), internal records and correspondence.
- 8. This form is intended to be completed electronically using Microsoft Word by completing the unshaded cells which will expand as required to accept the information required <u>and</u> the check boxes where relevant (NB: check boxes may appear shaded and have reduced functionality in MS Word versions prior to 2010).
- 9. The completed version of this form (and any attachments, where applicable) should be emailed to: submissions@nopsema.gov.au
 - or submitted via secure file transfer at: https://securefile.nopsema.gov.au/filedrop/submissions as soon as practicable, but in any case, within three days of the incident.



References

NOPSEMA website: www.nopsema.gov.au

TOOCS – Type of Occurrence Classification System.

The *Type of Occurrence Classification System, Version 3.0* (TOOCS3.0) was developed to improve the quality and consistency of data. This system aligns with the International Classification of Diseases – Australian Modification (ICD10-AM). Type of occurrence classification system (TOOCS) 3rd Edition May 2008 | Safe Work Australia

OPGGS(S)R. Offshore Petroleum and Greenhouse Gas Storage (Safety) Regulations 2009. Select Legislative Instrument 2009 No. 382 as amended and made under the *Offshore Petroleum and Greenhouse Gas Storage Act 2006*. Commonwealth of Australia.

OPGGS(E)R. Offshore Petroleum and Greenhouse Gas Storage (Environment) Regulations 2009. Statutory Rules 1999 No. 228 as amended and made under the *Offshore Petroleum and Greenhouse Gas Storage Act 2006*. Commonwealth of Australia.

Privacy Notice

NOPSEMA collects your personal information for the purpose of investigating accidents, dangerous occurrences and environmental incidents under the *Offshore Petroleum and Greenhouse Gas Storage Act 2006*.

NOPSEMA will not use or disclose your personal information for any other purpose without your consent, unless it is required or authorised by law, or relates to NOPSEMA's enforcement activities. Your personal information may be disclosed to the following organisations, entities or individuals:

- individuals who make a request under the Freedom of Information Act 1982
- the Australian National Audit Office and other privately appointed auditors
- other law enforcement bodies (for example, the police or the coroner)
- NOPSEMA's legal advisors.

NOPSEMA may occasionally be required to disclose information to overseas recipients in order to discharge its functions or exercise its powers, or to perform its necessary business activities.

Information about how you can access, or seek correction to, your personal information is contained in NOPSEMA's APP Privacy Policy at www.nopsema.gov.au/privacy. If you have an enquiry or a complaint about your privacy, please contact NOPSEMA's Privacy Contact Officer on (08) 6188 8700 or by email at: privacy@nopsema.gov.au.