


s 47C - deliberative matter



OFFICIAL

**From:** [REDACTED] @nopsema.gov.au>  
**Sent:** Thursday, 9 March 2023 5:16 PM  
**To:** [REDACTED] @eni.com>  
**Cc:** [REDACTED] @eni.com>; [REDACTED] @nopsema.gov.au>; [REDACTED] @nopsema.gov.au>  
**Subject:** RE: [EXTERNAL] RE: 13 5/8" x 20" Annulus Pressure in the BT-P3 Well

OFFICIAL

Hi [REDACTED],  
We have some queries about the annulus pressure please, for discussion next week:

- Update on forward plan

**s 47 - commercial value**  
[REDACTED]  
[REDACTED]

Happy to discuss, and am in office next Tues and Thurs.

Regards



OFFICIAL

From: [REDACTED]@eni.com>  
Sent: Monday, 6 March 2023 4:20 PM  
To: [REDACTED]@nopsema.gov.au>; [REDACTED]@nopsema.gov.au>  
Cc: [REDACTED]@eni.com>; [REDACTED]@external.eni.com>  
Subject: RE: [EXTERNAL] RE: 13 5/8" x 20" Annulus Pressure in the BT-P3 Well  
Importance: High

[REDACTED]  
Please find attached the following information for your perusal prior to our call at 4:30pm. Also answers below.

1. Risk assessment on B annulus pressure
2. Well Barrier Schematic
3. Wellhead schematic with annotated barriers

Regards  
[REDACTED]

---

From: [REDACTED]@nopsema.gov.au>  
Sent: Monday, 6 March 2023 7:36 AM  
To: [REDACTED]@eni.com>; [REDACTED]@eni.com>  
Cc: [REDACTED]@nopsema.gov.au>; [REDACTED]@nopsema.gov.au>  
Subject: [EXTERNAL] RE: 13 5/8" x 20" Annulus Pressure in the BT-P3 Well  
Importance: High

**Security Warning:** This email originated from outside of the organization. Do not click links or open attachments unless you have verified the sender's email address and know the content is safe.

OFFICIAL

Hi [REDACTED] and [REDACTED],

Thanks for the update on Saturday.

As you know, the threshold for a WOMP revision is whether the WI risk profile has significantly increased, or if there is a significant change to the way WI risks are reduced to ALARP.

We understand the full risk assessment / MOC process is still being worked through as described below; however, before the cleanup/well testing commences, we'd like confirmation that the risk profile for that activity has not changed significantly.

Specific queries (can be covered by a phone call today):

1. s 47 - commercial value

2.

3.

Regards  
[REDACTED]

[REDACTED] | [REDACTED]  
Well Integrity

I work Mondays, Tuesdays and Thursdays

National Offshore Petroleum Safety and Environmental Management Authority  
T: [REDACTED] | E: [REDACTED]@nopsema.gov.au | W: nopsema.gov.au

To assure the protection of lives and the environment offshore.

For the latest news and information [subscribe here](#).



**Acknowledgement of Country**

NOPSEMA recognises the First Peoples of this nation and their ongoing connection to culture and country. We acknowledge First Nations Peoples as the Traditional Owners, Custodians and Lore Keepers of the world's oldest living culture and pay respects to their Elders past, present and emerging.

OFFICIAL

**From:** [REDACTED]@eni.com>  
**Sent:** Saturday, 4 March 2023 3:22 PM  
**To:** [REDACTED]@nopsema.gov.au>[REDACTED]@eni.com>  
**Subject:** 13 5/8" x 20" Annulus Pressure in the BT-P3 Well

Hi [REDACTED];

[REDACTED] told me that he missed your message on Friday.

With regards to your queries, we did a check on the permissioning documents and can confirm that the SC is referencing to the WOMP in terms of well integrity assurance.

## S 47 - commercial value

[REDACTED]

Considering that the annulus pressure is stable, what we suggest is as follows;

1. Gather the information ahead of the risk assessment, including
  - a. Facts to date
  - b. Assumptions
  - c. WH safety design features and,
  - d. Discussed methods with WH OEM/HQ
2. Conduct the risk assessment session, involving
  - a. Well Operations
  - b. Operations HSE
  - c. WH OEM
  - d. HQ
  - e. Third party SME
3. Gather all the information above in the form of an MOC and sign off. This includes;
  - a. Monitoring strategy
  - b. Any potential for further data gathering regarding the nature of the OCP
  - c. Long term plan with regards to the possible rigless intervention actions

The decision on whether this warrants a revision to the WOMP will be discussed after this exercise.

As per the look ahead, the well clean-up will start between this Monday evening and Tuesday morning. Therefore, I thought I better inform you of the strategy we have in mind ahead of flaring.

Please let me know, if you suggest otherwise.

Many thanks



[REDACTED]  
Well Operations  
Eni Australia Ltd  
226 Adelaide Terrace, Perth, WA 6000  
T: [REDACTED]  
M: [REDACTED]  
F: [REDACTED]  
E: [REDACTED]@eni.com  
W: [www.eni.com](http://www.eni.com)

Eni is committed to the goal of zero harm to people and the environment. Eni reminds you that printing has a cost on the environment.

---

Message for the recipient only, if received in error, please notify the sender and read <http://www.eni.com/disclaimer/>